

8-2-8

PLUS MICRONUTRIENTS WITH 1% IRON

TURF *8-2-8 can be applied to any type of grass at any time of year with no risk of burn when used as directed. It is always good practice to water in fertilizer materials. *Cool Season Grasses:* Apply in spring and twice during the fall. *Warm Season Grasses:* Apply every two months during growing season. *Prior to Seeding or Sodding:* Apply to area to be seeded or sodded.

* This product is 31% slowly available nitrogen from feather meal and poultry manure.

COVERAGE

	<u>LOW RATE</u>	<u>RECOMMENDED RATE</u>	<u>HIGH RATE</u>
Coverage in ft ² of turf	10,500	5,250	3,500
	For 0.38 lbs of N/1000 ft² of turf	For 0.77 lbs of N/1000 ft² of turf	For 1.14 lb of N/1000 ft² of turf
Lbs per 1000 ft ² of turf	4.78	9.57	14.28
Lbs per acre	208	417	622
Lbs P per 1000 ft ² of turf	0.096	0.19	0.286
Lbs K per 1000 ft ² of turf	0.382	0.77	1.142
	Delivers 1.67 lbs of Organic Matter per 1000 ft ²	Delivers 3.35 lbs of Organic Matter per 1000 ft ²	Delivers 5.00 lbs of Organic Matter per 1000 ft ²

RECOMMENDED RATE SPREADER SETTINGS

	<u>GREENS GRADE</u>	<u>MID GRADE</u>
EARTHWAY ROTARY	9	13
LESCO	D	F/G
PRIZELAWN BF-1	E	1
SCOTTS R8	G	K
SPYKER/CYCLONE	3-4	5
LELY*	4	7
VICON*	16	28

Spreader Settings Are Approximate, You May Need To Adjust For Proper Coverage.

*VICON & LELY PTO SETTINGS: 4 MPH SPEED 540 RPM PTO SPEED

USE NUTRIENTS PLUS PRODUCTS AND PROGRAMS FOR ANNUAL:

- Plant Nutrient Requirements
- Additions of Organic Matter
- Maintenance of C:N Ratios